

UDC DISTRIBUTION
COMPANY



ABOUT US

U Distribution Company DMCC specializes in the distribution and supply of high quality fertilisers and industrial chemicals on a global scale, the company stands out for its unwavering commitment to quality and efficiency.

U Distribution Company DMCC was established with an aim of becoming a global leader in the distribution of fertilisers and industrial chemicals by developing distribution operations and sites across the world. The Company's unique value proposition is supported by its specialisation in logistics and supply chains.

U Distribution Company DMCC measures its success by the efficiency of the services it offers, the quality of the products it distributes, and by the long-term satisfaction and loyalty of its customers. The Company is fully committed to contributing to efficient agriculture and global food security.



MINERAL FERTILISERS FOR AGRICULTURE 5



Mineral fertilisers:

● nitrogen	9
● phosphate	12
● granular complex NPK/NPKS	15
● water-soluble	21

PRODUCTS FOR INDUSTRIAL CHEMISTRY 32



MINERAL FERTILISERS FOR AGRICULTURE



CONTENT

N/NS/NP Nitrogen fertilisers

Calcium ammonium nitrate (CAN) 27N+12CaO	9
Urea prilled N 46.2	10

P/NP Phosphate fertilisers

Monoammonium phosphate (MAP)	
NP 12:52	12
NP(S) 20:20(14)	13

NPK/NPKS Granular complex fertilisers

Balanced

NPK 15:15:15, NPKS 15:15:15:11, NPK 16:16:16	15
--	----

High-nitrogen

NPKS 21:10:10:2, NPKS 24:6:12:2, NPKS 27:6:6:2	16
--	----

Low-nitrogen

NPKS 10:26:26:2	17
-----------------	----

Low-phosphorus (V-grades)

NPKS 15:9:20:3, NPK 19:4:19	18
-----------------------------	----

Biomodified

MultiStart NPKS 8:20:30:3+BIO,	
MultiStart NPKS 15:15:15:11+BIO	21

WS Water-soluble fertilisers

Calcium nitrate concentrated (CN) 17N+33CaO	21
Calcium nitrate concentrated with boron (CN with B) 17N+32CaO+1B	22
Calcium nitrate concentrated with magnesium (CN with Mg) 17N+32CaO+1MgO	23
Potassium nitrate (NOP) NK 13,7:46,2	24
NPK 13:2:44, NPK 13:3:43, NPKS 13:0:44:1+1MgO	25
Monoammonium phosphate (MAP) NP 12:61	26
SOLAR NPK micro Starter NPK 15:30:15+2MgO+TE, NPK 11:40:11+2MgO+TE, NPK 13:40:13+TE	27
SOLAR NPK micro Universal NPK 18:18:18+3MgO+TE, NPK 19:19:19+TE, NPK 20:20:20+TE	28
SOLAR NPK micro Finisher NPK 15:7:30+3MgO+TE, NPK 12:6:36+2.5MgO+TE, NPK 3:11:38+TE, NPK 3:11:38+4MgO+TE	29
SOLAR NPK micro+Stim Starter 13:40:13+TE+Stim, Universal 20:20:20+TE+Stim, Finisher 12:6:36+2.5MgO+TE+Stim	30
AQUADROP NPK NPK 13:40:13, NPK 18:18:18, NPK 20:20:20, NPK 5:15:45	31

LEGEND



Suitable for greenhouse applications



Suitable for foliar application



Products do not contain sodium, chlorine or heavy metals



Can be used in fertiliser blends



Suitable for first half of the growing season



Suitable for basal application



Embedding into the soil is required



Can be used in irrigation systems



Suitable for UAVs application



Suitable for soil application



Improved physical and chemical properties to ensure even distribution of fertilisers across the entire spreading width



Conformance to GOST R 58658-2019 – Fertiliser with Improved Characteristics





N/NS/NP



Nitrogen fertilisers

Packaging and storage:



Store in a dry insulated place, away from moisture and direct sunlight.

Calcium ammonium nitrate (CAN)

27N+12CaO

Physiologically neutral nitrogen fertiliser.
A safety benchmark for nitrogen-rich fertilisers.

Contains equal amounts of ammonium and nitrate forms of nitrogen for extended plant nutrition. The presence of calcium carbonate prevents soil acidification. Calcium contributes to the development of the root system and increases disease and pest resistance.

Excellent physical and chemical characteristics to facilitate storage and application.

Recommended for all types of soils at pH less than 6.5.

Used for all crops, especially for roots and tubers, fruits and berries.



Appearance	white-grey granules
Mass fraction of total nitrogen (N), % including mass fraction of:	27
- ammonium nitrogen	13.5
- nitrate nitrogen	13.5
- calcium in terms of CaO, %	12
- calcium nitrate, %, max	1
Particle size distribution, %	
Mass fraction of granules with size, mm	
- sized under 1 mm, max	3
- sized 1-5 mm, min	90
- sized over 6.3 mm	0
Friability, %	100



Urea prilled


N 46.2

The most concentrated nitrogen fertiliser. Extended nitrogen nutrition for the plant.

Requires embedding into the soil immediately after application.

Fully water-soluble. Suitable for irrigation systems and foliar application.

Packaging and storage:

 bags big bags in bulk

Upon request, urea can be treated with an anticaking agent

Store in a dry insulated place, away from moisture and direct sunlight.

Appearance	white granules
Mass fraction of total nitrogen (N), %	46.2
Mass fraction of biuret, %, max	1.4*

Particle size distribution, %

Mass fraction of granules:

- sized under 1 mm, max	5(3)*
- sized 1-4 mm, min	94
- sized over 6 mm	0
Friability, %	100

* varies for different production facilities





P/NP

Phosphate fertilisers



Monoammonium phosphate (MAP)

NP 12:52

Versatile granular highly concentrated nitrate-free nitrogen-phosphorus fertiliser.

Contains phosphates in readily available form.

Suitable for direct application to the soil and in fertiliser blends on all soils and crops. Especially for cereals, root crops, rapeseed, sugarcane, and as top-dressing for fruit and berry crops.

Recommended for at-planting application. Also effective as basic fertiliser on soils with low levels of available phosphorus.

Especially effective on cereals, root crops, rapeseed, sugarcane, and as a top-dressing for fruit and berry crops.

Excellent physical and chemical characteristics to facilitate storage and application.

Packaging and storage:

Store in a dry insulated place, away from moisture and direct sunlight.

12:52

Appearance

Mass fraction of total nitrogen (N), %, including mass fraction of:

- ammonium nitrogen, %	12
- total phosphates in terms of P ₂ O ₅ , %	52
- digestible phosphates in terms of P ₂ O ₅ , %	50

Particle size distribution, %

Mass fraction of granules, mm

- sized under 1 mm, max	3
- sized 1-6 mm, min	-
- sized 2-5 mm, min	90
- sized over 6 mm	0
Friability, %	100



Packaging and storage:



Store in a dry insulated place, away from moisture and direct sunlight.

NP(S) 20:20(14)

Versatile granular highly concentrated nitrate-free nitrogen-phosphorus fertiliser with high sulphur content.

Contains phosphates in readily available form and nitrogen in ammonium form for a long-term effect. The sulphur content in the fertiliser promotes active growth of plants, increases their immunity and viability, and increases the overall product quality through increased protein content. Additionally, sulphur content improves absorption of nitrogen through synergy effects of both elements.

Suitable for direct application to the soil and in fertiliser blends on all types of soils and crops, especially for cereals, root crops, rapeseed, sugarcane, and as a top-dressing for fruit and berry crops. Also recommended for at-planting application. Effective basic fertiliser on soils with low levels of available phosphorus and high fraction of available potassium.

While NP(S) 14:34(8) is recommended for application as main fertiliser on soils with low intensity water flow in autumn, NP(S) 20:20(14) and 16:20(12) is recommended to be applied on all kinds of soils in spring.

Excellent physical and chemical characteristics facilitate storage and application.



UDC DISTRIBUTION COMPANY

	20:20(14)
Appearance	granules from white to grey in color with various shades
Mass fraction of total nitrogen (N), %, including mass fraction of:	20
- ammonium nitrogen, %	20
- total phosphates in terms of P ₂ O ₅ , %	20
- digestible phosphates in terms P ₂ O ₅ , %	20
- sulphate sulphur in terms of S, % min	14
Particle size distribution, %	
Mass fraction of granules, mm	
- sized under 1 mm, max	3
- sized 1-5 mm, min	90
- sized over 6 mm	0
Friability, %	100






NPK/NPKS

Granular
complex fertilisers

Packaging and storage:



Granules can be colored in pink and blue.



Various trace elements can be added to all NPK grades.

Store in a dry insulated place, away from moisture and direct sunlight.

NPK 15:15:15, NPKS 15:15:15:11, NPK 16:16:16

Granular complex fertilisers with balanced composition of key nutrients.

Granular complex NPK has a balanced nitrogen source, containing both forms of nitrogen (nitrate and ammonium). The nitrate form of nitrogen is a prerequisite to feed fast growing crops and ensure good root development, while the ammonium form is important to keep a sustained delivery of nitrogen.

The 11% sulphur content in NPKS 15:15:15:11 supports the quality of agricultural products (increases the protein content in cereals and oil content in oilseeds).

Suitable for all types of soil. Optimal for pre-sowing or at-sowing application for all types of crops.

With their consistent nutrient composition in each granule these complex NPK fertilisers ensure uniform distribution of all nutrients across the field.



	15:15:15	15:15:15:11	16:16:16
Appearance	white to various shades of grey or pink granules		
Mass fraction of:			
- total nitrogen (N), %	15	15	16
- ammonium nitrogen, %	8	15	8
- nitrate nitrogen, %	7	-	8
- total phosphates in terms of P ₂ O ₅ , %	15	15	16
- digestible phosphates in terms of P ₂ O ₅ , %, min	15	15	16
- potassium in terms of K ₂ O, %	15	15	16
- sulphate sulphur in terms of S, %, min	-	11	-
Particle size distribution, %			
Mass fraction of granules, mm			
- sized under 1 mm, max	3	3	3
- sized 1-5 mm, min	90	90	90
- sized over 6.3 mm	0	0	0
Friability, %	100	100	100





Packaging and storage:

NPKS 21:10:10:2
NPKS 24:6:12:1
NPKS 27:6:6:2



big bags



in bulk

Store in a dry insulated place, away from moisture and direct sunlight.

NPKS 21:10:10:2, NPKS 24:6:12:1,
NPKS 27:6:6:2

Granular complex NPKS fertilisers with high nitrogen content.

Fully provides mineral nutrition for the plants due to the balanced composition of essential elements. The presence of ammonium and nitrate forms of nitrogen provides a prolonged effect of the fertiliser. The presence of phosphorus, potassium and sulphur allows for more efficient absorption of nitrogen, reducing its loss from leaching.


Suitable for all types of soils and all crops, optimally as basic fertiliser on soils with a high content of mobile phosphorus and potassium. Effective for top-dressing of perennial grasses, hayfields and pastures. Suitable for inter-row top-dressing on perennial plantations and fruits.

With their consistent nutrient composition in each granule these complex NPKS fertilisers ensure uniform distribution of all nutrients across the field.



	21:10:10:2	24:6:12:1	27:6:6:2
Appearance	pink, light pink or light brown granules		
Mass fraction of total nitrogen (N), % including mass fraction of:	21	24	27
- ammonium nitrogen	11	12	15
- nitrate nitrogen	10	12	12
- total phosphates in terms of P ₂ O ₅ , %	10	6	6
- digestible phosphates in terms of P ₂ O ₅ , %, min	10	6	6
- potassium in terms of K ₂ O, %	10	12	6
- sulphate sulphur in terms of S, %, min	2	1	2
Particle size distribution, %			
Mass fraction of granules, mm			
- sized under 1 mm, max	3	3	3
- sized 2-5 mm, min	90	90	90
- sized over 6.3 mm	0	0	0
Friability, %	100	100	100

Packaging and storage:



Store in a dry insulated place, away from moisture and direct sunlight.

NPKS 10:26:26:2

Versatile granular complex NPKS fertilisers with high phosphorus and potassium contents.

Ammonium nitrogen gives a sustained delivery of nitrogen as it becomes slowly available to the plant after conversion to nitrate form.

Suitable for all crops and soils. Especially effective for grain, vegetable, fodder, fruit and berry crops as main and at-planting fertilisers.

Excellent physical and chemical characteristics to facilitate storage and application.

With their consistent nutrient composition in each granule these complex NPKS fertilisers ensure uniform distribution of all nutrients across the field.



10:26:26:2

Appearance	white to various shades of grey or pink granules
Mass fraction of total nitrogen (N), % including mass fraction of:	10
- ammonium nitrogen	10
- total phosphates in terms of P ₂ O ₅ , %	26
- digestible phosphates in terms of P ₂ O ₅ , %, min	25.5
- potassium in terms of K ₂ O, %	26
- sulphate sulphur in terms of S, %, min	2
Particle size distribution, %	
Mass fraction of granules, mm	
- sized under 1 mm, max	3
- sized 1-5 mm, min	90
- sized over 6 mm	0
Friability, %	10



MINERAL FERTILISERS FOR AGRICULTURE
 Low-phosphorus formulations (V-grades)

NPK/NPKS

Granular complex

NPKS 15:9:20:3, NPK 19:4:19,

Packaging and storage:



Various trace elements can be added to all NPK grades.

Store in a dry insulated place, away from moisture and direct sunlight.

Granular complex NPK fertilisers with high nitrogen and potassium content.

Granular complex NPK has a balanced nitrogen source, containing both forms of nitrogen (nitrate and ammonium). The nitrate form of nitrogen is a prerequisite to feed fast growing crops and ensure good root development, while the ammonium form is important to keep a sustained delivery of nitrogen.

Optimal for soils with a high phosphorus content.

Recommended for perennial crops, fruit, coffee, cocoa, sugarcane, vegetables. Suitable for top-dressing during inter-row tillage.

With their consistent nutrient composition in each granule these complex NPK fertilisers ensure uniform distribution of all nutrients across the field.



	15:9:20:3	19:4:19
Appearance	pink, light-pink or light-brown granules	
Mass fraction of:		
- total nitrogen (N), %	15	19
- ammonium nitrogen	9	10
- nitrate nitrogen	6	9
- total phosphates in terms of P ₂ O ₅ , %	9	4
- digestible phosphates in terms of P ₂ O ₅ , % min	-	4
- potassium in terms of K ₂ O, %	20	19
- sulphate sulphur in terms of S, % min	3	-
- magnesium in term of Mg, % min	-	-
Moisure, %, max	1	1
Particle size distribution, %		
Mass fraction of granules, mm		
- sized under 1 mm, max	3	3
- sized 1-5 mm, min	90	90
- sized over 6.3 mm	0	0
Granule static strength, MPa, min	3.0	3.0
Friability, %	100	100



Packaging and storage:



Possibility of production different biomodified NPKS grades of complex fertilisers.

Store in a dry insulated place, away from moisture and direct sunlight, at a temperature from -40 °C to +40 °C.

Guaranteed storage life – 1 year.
Shelf life – 2 years.

MultiStart NPKS 8:20:30:3+BIO, MultiStart NPKS 15:15:15:11+BIO

Granular complex biomodified fertiliser containing the main nutrients (nitrogen, phosphorus, potassium and sulphur), as well as *Bacillus rhizospheric* bacteria.

Once in the soil, the bacteria produce auxins, which stimulate development of the root system, increase its absorption capacity and produce organic acids, which increase the content of water-soluble forms of phosphorus in the soil.

The microorganisms in the fertiliser inhibit the activity of pathogens in the rhizosphere and increase the plant's bacterial and fungal resistance.

MultiStart NPKS increases biological activity of the soil, improves yields of crops and quality of agricultural products and supports business profitability.

Used for pre-sowing or at-sowing application for all types of crops.



	MultiStart 8:20:30:3+BIO	MultiStart 15:15:15:11+BIO
Appearance	white to various shades of grey or pink granules	
Mass fraction of total nitrogen (N), % including mass fraction of:	8	15
- ammonium nitrogen	8	15
- total phosphates in terms of P ₂ O ₅ , %	20	15
- digestible phosphates in terms of P ₂ O ₅ , %, min	19.5	15
- potassium in terms of K ₂ O, %	30	15
- sulphate sulphur in terms of S, %, min	3	11
Viable bacterial cells per 1 gram of fertiliser, CFU/g, min	5x10 ⁴	5x10 ⁴
Particle size distribution, %		
Mass fraction of granules, mm		
- sized under 1 mm, max	3	3
- sized 1-5 mm, min	90	90
- sized over 6 mm	0	0
Friability, %	100	100






WS



Water-soluble fertilisers

Packaging and storage:



bags

big bags



Do not mix calcium nitrate with fertilisers containing phosphates and sulphates.

Store in a dry insulated place, away from moisture and direct sunlight.

Calcium nitrate concentrated (CN)

17N+33CaO

The only water-soluble source of calcium with the maximum content of the active substance (calcium nitrate content – 98% (vs 78% content in similar products)).

The product is in anhydrous form and has a low content of ammonium nitrogen. Calcium nitrate increases plant's resistance to environmental factors, improves quality of fruits and increases their shelf life. The presence of accessible calcium is necessary throughout the growing season, since calcium is not redistributed within the plant.

Used in greenhouse vegetable growing, in drip irrigation systems. An excellent solution for top-dressing fruit and berry crops, roots and tubers crops.



UDC DISTRIBUTION COMPANY

Appearance	white or grey-yellow granules
Mass fraction of total nitrogen (N), % including mass fraction of:	17
– nitrate nitrogen	16.7
– ammonium nitrogen	0.3
– calcium in terms of CaO, %, min	33
Particle size distribution, %	
Mass fraction of granules, mm	
– sized under 1 mm, max	5
– sized 1-4 mm, min	90
– sized over 6.3 mm	0
pH (1% aqueous solution)	5.5 – 6.5
Water solubility at 20 °C, g/100 cm ³	120
Friability, %	100



Calcium nitrate concentrated with boron (CN with B)

17N+32CaO+1B


Granular fertiliser containing fully water-soluble calcium and boron in combination with fast acting nitrate nitrogen.

High calcium content increases storability and quality of agricultural products. Calcium nitrate increases plant's resistance to environmental factors, improves quality of fruits and increases their shelf life.

The addition of boron stimulates the setting and preservation of crop ovaries. Ideal for light soils (sandy, sandy-loam and light loam soils).

Recommended for use in fertigation systems for all crops. Suitable for top-dressing sugar beet, vegetable, roots and tubers crops, fruit and berry crops, cotton.

Packaging and storage:



 bags

 big bags



Do not mix calcium nitrate with fertilisers containing phosphates and sulphates.

Store in a dry insulated place, away from moisture and direct sunlight.

Appearance	white or grey-yellow granules
Mass fraction of total nitrogen (N), % including mass fraction of:	17
– nitrate nitrogen	16.7
– ammonium nitrogen	0.3
– calcium in terms of CaO, %, min	32
– boron in terms of B, %, max	1
Particle size distribution, %	
Mass fraction of granules, mm	
– sized under 1 mm, max	5
– sized 1-4 mm, min	90
– sized over 6.3 mm	0
pH (1% aqueous solution)	5.5 – 6.5
Water solubility at 20 °C, g/100 cm ³	120
Friability, %	100



Packaging and storage:



bags

big bags



Do not mix calcium nitrate with fertilisers containing phosphates and sulphates.

Store in a dry insulated place, away from moisture and direct sunlight.

Calcium nitrate concentrated with magnesium (CN with Mg)

17N+32CaO+1MgO

Granular fertiliser containing fully water-soluble calcium and magnesium in combination with fast acting nitrate nitrogen.

High calcium content increases storability and quality of agricultural products. Calcium nitrate increases plant's resistance to environmental factors, improves quality of fruits and increases their shelf life.

Magnesium improves absorption of phosphorus, supports activation of enzymes and accelerates formation of carbohydrates. Ideal for light soils (sandy, sandy-loam and light loam soils).

Recommended for use in fertigation systems on all crops.

Effective on vegetable, fruit and berry crops.





Appearance	white or grey-yellow granules
Mass fraction of total nitrogen (N), %	17
including mass fraction of:	
- nitrate nitrogen	16.7
- ammonium nitrogen	0.3
- calcium in terms of CaO, %, min	32
- magnesium in terms of MgO, %, max	1
Particle size distribution, %	
Mass fraction of granules, mm	
- sized under 1 mm, max	5
- sized 1-4 mm, min	90
- sized over 6.3 mm	0
pH (1% aqueous solution)	5.5 – 6.5
Water solubility at 20 °C, g/100 cm ³	120
Friability, %	100





Packaging and storage:



Store in a dry insulated place, away from moisture and direct sunlight.

Potassium nitrate (NOP)

NK 13,7:46,2

Highly effective water-soluble nitrogen-potassium fertiliser with high potassium content. SOLAR potassium nitrate is a chemical purity benchmark for similar products.

Potassium supports the intensity of photosynthesis and oxidation, is involved in carbohydrate metabolism, and helps the plant retain water by strengthening cell walls. Potassium nitrate increases the plant's resistance to adverse environmental factors like rapid changes in water and temperature conditions.

Ideal for use in greenhouse farming, fertigation systems, for foliar feeding of grain, technical, fruit, berry and ornamental crops.

Appearance	white crystalline product
Mass fraction of total nitrogen (N), %	13.7
Including mass fraction of:	
– nitrate nitrogen	13.7
– potassium in terms of K ₂ O, %, min	46.2
– insoluble residue, %, max	0.01
pH (1% aqueous solution)	5.4
Water solubility at 20 °C, g/100 cm ³	31
Friability, %	100

Packaging and storage:



bags

big bags

Store in a dry insulated place, away from moisture and direct sunlight.

NPK 13:2:44, NPK 13:3:43 NPKS 13:0:44:1+1MgO

Potassium nitrate based NPK fertiliser with a high potassium content, highly soluble in water, suitable for all crops. A perfect alternative to the common potassium nitrate popular on the market of water soluble fertilisers.

The optimal combination of nutrients to apply at the stage of growth and ripening of fruits, as well as top dressing during the growing season.

Product formulation enhances photosynthesis, helps the plant to cope with abiotic stress factors and increases quality and storability of agricultural products.



	13:2:44	13:3:43	13:0:44:1+1MgO
Appearance	white crystalline product		
Mass fraction of:			
- total nitrogen (N), %, min	13	13	13
- nitric N (N-NO ₃), %, min	12.6	12.5	13
- ammoniacal N (N-NH ₄), %, min	0.4	0.5	-
- total phosphates (P ₂ O ₅), %	2	3	-
- water-soluble P ₂ O ₅ , %, min	2	3	-
- water-soluble potassium K ₂ O, %, min	44	43	44
- water-soluble magnesium oxide (MgO), %, min	-	-	1
Moisture, %, max	0.5	0.5	0.5
Particle size distribution, %			
Mass fraction of granules, mm			
- sized under 1 mm, max	5	5	5
- sized over 0.1 mm, min	90	90	90
Friability, %	100	100	100

Monoammonium phosphate (MAP)


NP 12:61

Due to its 100% water solubility SOLAR MAP is an excellent source of nitrogen and phosphorus in an easily available form.

Monoammonium phosphate is effective during early stages of plant development, especially during the formation of the root system. Ideal for use in fertigation systems and in fertiliser blends.

MAP contains the highest phosphorus content in comparison to other fertiliser products in a highly available orthophosphate form.

Packaging and storage:



bags

big bags



Do not mix MAP with fertilisers containing calcium and magnesium.

Store in a dry insulated place, away from moisture and direct sunlight.

Appearance	white crystals
Mass fraction of total nitrogen (N), %	12
including mass fraction of:	
– ammonium nitrogen	12
– water-soluble phosphates in terms of P_2O_5 , %	61
– insoluble residue, %, max	0.1
pH (1% aqueous solution)	4.5
Water solubility at 20 °C, g/100 cm ³	37.1
Friability, %	100



Packaging and storage:



bags

Store in a dry insulated place, away from moisture and direct sunlight.

SOLAR NPK micro Starter

NPK 15:30:15+2MgO+TE, NPK 11:40:11+2MgO+TE, NPK 13:40:13+TE

Water-soluble phosphorus-rich NPK fertilisers.

At the early growth stages the special formula of the fertiliser stimulates development of the root system, increases absorption of nutrients, improves metabolism, division and reproduction processes in plant cells. At the stage of budding and flowering the products accelerate formation of reproductive organs and improve quality of agricultural products.

A balanced ratio of nutrients makes these fertilisers suitable for all crops. Ideal for foliar application to field crops.


Contains trace elements, including in a highly effective chelated form (EDTA).



UDC DISTRIBUTION COMPANY

	15:30:15 +2MgO+TE	11:40:11 +2MgO+TE	13:40:13 +TE
Appearance	yellow crystals		
Mass fraction of:			
- total nitrogen (N), %	15	11	13
- nitrate nitrogen	4.4	3	4.5
- ammonium nitrogen	6	8	8.5
- amide nitrogen	4.6	-	-
- water-soluble phosphates in terms of P ₂ O ₅ , %	30	40	40
- potassium in terms of K ₂ O, %	15	11	13
- sulphates in terms of S, %	2	2	-
- magnesium in terms of MgO, %	2	2	-
- insoluble residue, %, max	0.1	0.1	0.1
Mass fraction of trace elements (* - in chelated EDTA form), %, min			
- boron (B)	0.02	0.02	0.02
- copper (Cu)*	0.01	0.01	0.01
- iron (Fe)*	0.1	0.1	0.1
- manganese (Mn)*	0.05	0.05	0.05
- molybdenum (Mo)	0.01	0.01	0.01
- zinc (Zn)*	0.01	0.01	0.01
Friability, %	100	100	100





Packaging and storage:



bags

Store in a dry insulated place, away from moisture and direct sunlight.

SOLAR NPK micro Universal

NPK 18:18:18+3MgO+TE, NPK 19:19:19+TE,
NPK 20:20:20+TE

The equal-ratio water-soluble grade fertilisers are designed for comprehensive plant nutrition at all phases of growth and support correct development of the plant throughout the growing season.

The products are effective during stress periods like drought, waterlogging, diseases, pests, etc.

A balanced ratio of nutrients makes these fertilisers suitable for all crops. Ideal for foliar application to field crops.

Contains trace elements, including in a highly effective chelated form (EDTA).

	18:18:18 +3MgO+TE	19:19:19 +TE	20:20:20 +TE
Appearance	green crystals		
Mass fraction of:			
- total nitrogen (N), %	18	19	20
- nitrate nitrogen	5.4	10.5	6
- ammonium nitrogen	3.6	8.5	4
- amide nitrogen	9	-	10
- water-soluble phosphates in terms of P ₂ O ₅ , %	18	19	20
- potassium in terms of K ₂ O, %	18	19	20
- sulphates in terms of S, %	2.5	-	-
- magnesium in terms of MgO, %	3	-	-
- insoluble residue, max, %	0.1	0.1	0.1
Mass fraction of trace elements (* - in chelated EDTA form), %, min			
- boron (B)	0.02	0.02	0.02
- copper (Cu)*	0.01	0.01	0.01
- iron (Fe)*	0.1	0.1	0.1
- manganese (Mn)*	0.05	0.05	0.05
- molybdenum (Mo)	0.01	0.01	0.01
- zinc (Zn)*	0.01	0.01	0.01
Friability, %	100	100	100



Packaging and storage:



bags

Store in a dry insulated place, away from moisture and direct sunlight.

SOLAR NPK micro Finisher

NPK 15:7:30+3MgO+TE, NPK 12:6:36+2,5MgO+TE, NPK 3:11:38+TE, NPK 3:11:38+4MgO+TE

Water-soluble potassium-rich NPK fertilisers.

At the final stages of vegetation the products promote even ripening and intensive fruiting, improve taste, appearance and storability of agricultural products, increase sugar content in sugar beet roots and stimulate the plant's resistance to drought conditions.

A balanced ratio of nutrients makes these fertilisers suitable for all crops. Ideal for foliar application to field crops.


Contains trace elements, including in a highly effective chelated form (EDTA).




UDC DISTRIBUTION COMPANY

	15:7:30 +3MgO+TE	12:6:36 +2.5MgO+TE	3:11:38 +TE	3:11:38 +4MgO+TE
Appearance	pink crystals			
Mass fraction of:				
- total nitrogen (N), %	15	12	3	3
- nitrate nitrogen	8.7	10.6	0.2	3
- ammonium nitrogen	1.4	1.4	2.8	-
- amide nitrogen	4.9	-	-	-
- water-soluble phosphates in terms of P ₂ O ₅ , %	7	6	11	11
- potassium in terms of K ₂ O, %	30	36	38	38
- sulphate sulphur in terms of S, %, min	2.5	2	-	-
- magnesium in terms of MgO, %, min	3	2.5	-	4
- insoluble residue, %, max	0.1	0.1	0.1	0.1
Mass fraction of trace elements (* - in chelated EDTA form), %, min:				
- boron (B)	0.02	0.02	0.02	0.02
- copper (Cu)*	0.01	0.01	0.01	0.01
- iron (Fe)*	0.1	0.1	0.1	0.1
- manganese (Mn)*	0.05	0.05	0.05	0.05
- molybdenum (Mo)	0.01	0.01	0.01	0.01
- zinc (Zn)*	0.01	0.01	0.01	0.01
Friability, %	100	100	100	100





Packaging and storage:



bags

Store in a dry insulated place, away from moisture and direct sunlight.

SOLAR NPK micro+Stim

Starter 13:40:13+TE+Stim

Universal 20:20:20+TE+Stim

Finisher 12:6:36+2,5MgO+TE+Stim

Complex water-soluble fertilisers with trace elements and an effective plant growth stimulant (PGS).

Growth stimulant is a participant of citric acid cycle (Krebs cycle). It effectively promotes development of root system and vegetative organs, improves metabolism of proteins, vitamins and chlorophyll in the plant and increases the overall yield of crops.

Contains trace elements, including in a highly effective chelated form (EDTA).



	Starter 13:40:13+TE +Stim	Universal 20:20:20+TE +Stim	Finisher 12:6:36+2.5MgO+TE +Stim
Appearance	various colors crystals		
Mass fraction of:			
- total nitrogen (N), %	13	20	12
- nitrate nitrogen	4.5	6	10.6
- ammonium nitrogen	8.5	4	1.4
- amide nitrogen	-	10	-
- water-soluble phosphates in terms of P ₂ O ₅ , %	40	20	6
- potassium in terms of K ₂ O, %	13	20	36
- sulphate sulphur in terms of S, %, min	-	-	2
- magnesium in terms of MgO, %, min	-	-	2.5
- insoluble residue, %, max	0.1	0.1	0.1
Growth stimulant, %, min	1	1	1
Mass fraction of trace elements (* - in chelated form), %, min:			
- boron (B)	0.02	0.02	0.02
- copper (Cu)*	0.01	0.01	0.01
- iron (Fe)*	0.1	0.1	0.1
- manganese (Mn)*	0.05	0.05	0.05
- molybdenum (Mo)	0.01	0.01	0.01
- zinc (Zn)*	0.01	0.01	0.01
Friability, %	100	100	100

Packaging and storage:



bags



AQUADROP fertilisers are not recommended for use in soilless greenhouses due to their chloride content. Can be used in soil-based farm greenhouses.

Store in a dry insulated place, away from moisture and direct sunlight.

AQUADROP NPK

NPK 13:40:13, NPK 18:18:18, NPK 20:20:20, NPK 5:15:45

AQUADROP is a line of water-soluble complex fertilisers specially designed for fertigation of fruit and vegetable crops.

The line boasts a wide range of brands with optimal nutrient ratios to provide complete mineral nutrition throughout the growing season.

All AQUADROP products are suitable for drip irrigation systems.



UDC DISTRIBUTION COMPANY

	13:40:13	18:18:18	20:20:20	5:15:45
Appearance	white crystals			
Mass fraction of:				
- total nitrogen (N), %	13	18	20	5
- ammonium nitrogen	7.5	10.8	4	3
- nitrate nitrogen	-	7.2	-	-
- amide nitrogen	5.5	-	16	2
- water-soluble phosphates in terms of P ₂ O ₅ , %	40	18	20	15
- potassium in terms of K ₂ O, %	13	18	20	45
- insoluble residue, %, max	0.1	0.1	0.1	0.1
- chlorides in terms of Cl, %	10	14	15	34
Friability, %	100	100	100	100

PRODUCTS FOR INDUSTRIAL CHEMISTRY



PRODUCTS FOR INDUSTRIAL CHEMISTRY

I

for industrial chemistry

Anhydrous calcium nitrate	34
Technical potassium nitrate	35
Technical water-soluble MAP	36
Sodium nitrate	37
Sodium nitrite	38
Technical urea	
prilled and microprilled	39

LEGEND



Construction



Chemical industry



Mining



Fire-extinguishing equipment



Glass-making



Petroleum production



Diesel exhaust treatment





Metalworking



Woodworking



Packaging, transportation and storage:



Transportation by rail, road and water transport in accordance with applicable regulations.

Store in a dry insulated place.

Anhydrous calcium nitrate



Anhydrous calcium nitrate is widely used in various industries.

The product is often used in the oil and gas sector. During well work-overs, killing fluids are used, which create back pressure inside the well and plug it. Calcium nitrate allows killing fluids to be made with different density levels and therefore be used for a wide range of formation pressure values. An important advantage of calcium nitrate is that it does not cause clogging of the bottomhole area in a productive formation, which prevents adverse impacts on the well flow rate.

As an element of multi-purpose additives, calcium nitrate is used in concrete production: it reduces the freezing point, accelerates strength development of cold and hot concrete, increases water resistance, reduces efflorescence and ensures flat surface finishes.

Calcium nitrate can also be used in external finishing works, in the creation of foundations, construction of transport infrastructure and production of de-icing agents for airports.



Mass fraction of:

- calcium, %, min	96
- water, %, max	3
- ammonium nitrogen, %, max	0.3*
water-insoluble residue, %, max	0.1
Static strength of granules, MPa (kgf/cm ²), min	2.0 (20)



Particle size distribution, %
Mass fraction of granules, mm

- sized under 1 mm, %, max	10
- sized 1-4 mm, %, min	90
- sized under 6 mm, %	100
Friability, %	100

* Under an agreement with customers, mass fraction of ammonium nitrogen in terms of nitrogen can be limited to 0.1%



Packaging, transportation and storage:



Transportation by rail, road and water transport in accordance with applicable regulations.

Store in a dry insulated place.

Technical potassium nitrate



Technical potassium nitrate is widely used in glass-making due to its high chemical purity and very low content of chlorides, sulphates and insoluble impurities.

Nitrate of potassium is used in the processes of producing colored explosives.





Grade B

Mass fraction of:

- potassium nitrate, %, min	99.85
- water, %, max	0.2
- chloride salts in terms of NaCl, %, max	0.03
- water-insoluble residue in dry matter, %, max	0.03
- substances oxidised by potassium permanganate in terms of KNO_2 in dry matter, %, max	0.01
- calcium and magnesium salts in terms of Ca, %, max	0.02
- iron, %, max	not regulated




Packaging, transportation and storage:



Transportation by rail, road and water transport in accordance with applicable regulations.

Store in a dry insulated place.

Technical water-soluble MAP



Technical water-soluble monoammonium phosphate is a versatile flame retardant.

In particular, it is used as a water-soluble agent for fireproofing of wood, wooden boards, plywood, and fabric. MAP can be successfully used in extinguishing fires of classes A, B, C and E. It is also used in the production of matches as a flame retardant agent.

As MAP does not contain any insoluble impurities, it dissolves completely and is better absorbed by target materials like fabric, plywood or wood.

MAP is used as a component in the production of lithium-iron-phosphate batteries (LiFePO₄, LFP), including for electric vehicles.

Mass fraction of:

- monoammonium phosphate, %, min	99
- water, %, max	0.3
- water-insoluble residue, %, max	0.1

Packaging, transportation and storage:



 bags

Transportation by rail, road and water transport in accordance with applicable regulations.

Store in a dry insulated place.

Sodium nitrate



Sodium nitrate is used as a component of complex additives to reduce the freezing point of concrete slurries in construction.

Sodium nitrate also accelerates the strength development of the slurry and improves the quality of precast concrete structures. An important quality of sodium nitrate in the construction applications is its ability to inhibit corrosion of rebars. Sodium nitrate can also be used for external and internal finishing works. In glass-making, sodium nitrate improves optical properties of glass. As a strong oxidising agent, sodium nitrate is widely used as an additional oxidiser in the production of emulsion explosives and pyrotechnic products. In metalworking, sodium nitrate is used in the preparation of fluxes for soldering and welding of metals, and in etching and melting.



	Grade A	Grade B
Mass fraction of:		
- sodium nitrate in dry matter, %, min	99.8	99.5
- water, %, max	0.5	0.5
- water-insoluble substances, %, max	0.03	0.03
- chloride salts in terms of NaCl, %, max	0.15	0.3
- oxidisable substances in terms of NaNO_2 , %, max	0.01	0.2
- iron in terms of Fe_2O_3 , %, max	0.001	-
- chromium in terms of Cr_2O_3 , %, max	0.0001	-



Packaging, transportation and storage:



 bags

Transportation by rail, road and water transport in accordance with applicable regulations.

Store in a dry insulated place.

Sodium nitrite



Sodium nitrite is used as a gas generating additive in emulsion explosives, as a component in metalworking, and as an oxidising agent in well yield enhancement processes in the oil and gas sector. In construction, sodium nitrite is used as an anti-freeze additive.

Mass fraction of:

- sodium nitrite (NaNO_2), %, min	98.5
- sodium nitrate (NaNO_3), %, max	1.0
- sodium chloride (NaCl) in dry matter, %, max	0.17
- water-insoluble residue, %, max	0.03
- water, %, max	1.4



Packaging, transportation and storage:

TECHNICAL UREA

bags

big bags

in bulk

Transportation by rail, road and water transport in accordance with applicable regulations.
Store in a dry insulated place.

Technical urea




Urea is used in the production of plastics, adhesives, urea formaldehyde resins and the ADBLUE AUS 32 agent for treatment of diesel exhaust of industrial plants, vessels and vehicles. Technical grade is commonly used for glue and resins production and wood processing.

For orders with extra purity requirements, urea can be supplied without anti-caking treatment.

UDC DISTRIBUTION COMPANY

	Prilled	Microprilled
	Premium grade	
Mass fraction of:		
- nitrogen in dry matter, %, min	46.3	46.2
- biuret, %, min	0.6	0.6
- free ammonia, %, max	0.01	0.01
Mass fraction of water, %, max:		
- hygroscopic	0.3	0.3
- total	0.6	0.5



UDC DISTRIBUTION
COMPANY





CONTACTS

Address:

Unit No: 1701, Uptown Tower, Uptown Dubai,
United Arab Emirates

E-mail:

info@udc-dmcc.com

UDC DISTRIBUTION
COMPANY